

1 SERIES // 25-40 HP

DEPENDABILITY THAT DELIVERS



MASSEY FERGUSON

OVER 175 YEARS OF PROVEN PERFORMANCE



HELPING YOU ACHIEVE YOUR PROPERTY DREAMS.

No matter what you need from a tractor, Massey Ferguson® delivers. These compact tractors are your key to growing your own food, raising livestock or increasing your property value. Because when your equipment works as hard as you do, better outcomes are always within reach.



SUPERIOR ACCESSIBILITY

- Designed with the operator at the center—spacious cab and intuitive controls.
- Rugged features engineered to handle long days with ease.
- Comfort delivered without compromise, no matter the weather.



ULTIMATE VERSATILITY

- Choose the setup that fits your land and how you work. Platform or cab configurations, transmissions and horsepower options to tackle every task.
- Easily hook up the implements you need and get to work.
- Ready for the big, stubborn projects that keep your land in top shape.



MODERN AFFORDABILITY

- Flexible financing options to meet your needs and operation.
- Dependable protection for reliable support.

AT A GLANCE

FIND THE TRACTOR THAT HELPS YOU GET MORE DONE

SERIES	PRIMARY APPLICATIONS	PROPERTY TYPE	HP RANGE	COMFORT SCALE
1M	Property Management Commerical Landscaping Contract and Government Work	Large Property to Small Farm 5-20+ acres	25-40 HP	
1E	Landscaping Property Management Material Handling Small Livestock Hay Production	Midsized to Large Property 5-20 acres		

	1M			1E		
	MF 1M.25	MF 1M.35	MF 1M.40	MF 1E.25	MF 1E.35	MF 1E.40
Cab Options						
Platform	•	•	•	•	•	•
Full Cab	•	•	•			
Mid Mount Mowers						
1506	•					
1705		•	•			
Backhoes						
BH3222				•	•	•
CB75	•	•	•			
Loaders						
FL2407X				•	•	•
FL2611		•	•			
FL.2106	•					
Snow Blowers						
SB1270	•					
SB1828		•	•			
Rotary Cutters						
BF4.30	•			•		
BF5.20	•	•	•	•	•	•
BF6.20		•	•		•	•
Finish Mowers						
TK60.40	•	•	•	•	•	•
TK72.40	•	•	•	•	•	•
TK84.40		•	•		•	•
Box Blades						
BS60.20	•	•	•	•	•	•
BS72.20		•	•	•	•	•
Tillers						
RT60.40	•	•	•	•	•	•
RT72.40		•	•		•	•

1M // 25-40 HP

PREMIUM COMFORT

The Massey Ferguson 1M Series is a modern, compact tractor lineup built for tough performance and steady, efficient operation across property, municipal and grounds care work. Its efficient three-cylinder engine delivers strong torque with reduced fuel consumption. An available airconditioned cab, intuitive controls, adjustable steering and wide open visibility keeps you comfortable and in command.

1M

CONFIDENT CONTROL

With precision-tuned controls, smooth hydrostatic or shuttle transmission options, and an ergonomic layout, operators of any skill level can work confidently and efficiently.

ALL-DAY COMFORT

Designed for all-day use, the M Series features an upgraded seat with superior cushioning and air suspension for unmatched support on tough jobs.

COMMERCIAL-GRADE STRENGTH

Enjoy robust hydraulics and a reinforced frame to take on commercial-grade, high-demand workloads with ease.

CONVENIENT FUELING

Ground accessibility to the fuel tank saves you time and effort, making fill-ups quicker, safer and more convenient.

VERSATILITY THAT WORKS ALL YEAR LONG

Compatible with 60" or 72" mid-mount mowers, 3-point finishing mowers, front-mounted snow blowers, front loaders and backhoes, making it a true multipurpose machine for all-season performance.



1E // 25-40 HP

PRACTICAL PERFORMANCE

The Massey Ferguson 1E Series is a compact, nonsense tractor lineup built for landowners who need dependable performance without unnecessary complexity. Designed for year-round work—whether you're mowing, hauling or managing property upkeep—the MF 1E delivers practical power, simple operation and rugged durability.

SIMPLE IMPLEMENT CONNECTION

Quickly add or switch implements with a CAT 1 3-point hitch.

EFFORTLESS OPERATION

Hydrostatic pedals, ergonomic controls and straightforward transmission

EASY HANDLING

Strong frame and upgraded hydraulics for smoother operation.

1E



IMPLEMENTS & ATTACHMENTS

ULTIMATE VERSATILITY

Built for adaptability, our lineup is designed to handle a wide range of tasks with ease. From daily jobs to specialized work, there's a Massey Ferguson tractor engineered to fit your operation.

1 Box Blades

2 Seeders

3 Loaders

4 Pull-behind Mowers

5 Cab

6 Snowblowers

7 Mower Decks

AVAILABLE ON BOTH 1E & 1M SERIES



EXCLUSIVELY AVAILABLE ON THE 1M SERIES



SPECIFICATIONS

TECHNICAL SPECIFICATIONS

		MF 1M.35	MF 1M.40	MF 1E.25	MF 1E.35	MF 1E.40
ENGINE		Iseki 1.83L, 3-cylinder diesel		Iseki 1.49 L, 3-cylinder diesel	Iseki 1.83 L, 3-cylinder diesel	
Rated Engine Power @ 2600 rpm	HP (kW)	36.2 (27.0)	39.4 (29.4)	24.0 (17.9)	34.5 (25.7)	39.4 (29.4)
PTO Power @ 540 rpm	HP (kW)	Mech: 27.5 (20.5) HST: 25.7 (19.2)	Mech: 30.0 (22.4) HST: 27.9 (20.8)	Mech: 20.4 (15.2) HST: 19.2 (14.3)	Mech: 29.2 (21.8) HST: 27.6 (20.6)	Mech: 33.5 (25.0) HST: 31.5 (23.5)
Aspiration		Turbocharged		Natural		Turbocharged
Emissions Control		Exhaust gas recirculation (EGR), diesel oxidation catalyst (DOC), diesel particulate filter (DPF)		None	Exhaust gas recirculation (EGR), diesel oxidation catalyst (DOC), diesel particulate filter (DPF)	
Fuel Tank Capacity	gal. (L)	10.6 (40)		10 (38)		
TRANSMISSION						
Hydrostatic		3-range hydrostatic transmission, Servo-HST, electronically controlled		8x8 synchro shuttle with mechanical shuttle lever		
Mechanical		12x12 power shuttle with electronic shuttle lever		3-range HST with mechanically controlled foot pedal		
HITCH AND HYDRAULICS		Open center, two gear-type pumps for steering and 3-point remotes		Open center, two gear-type pumps for steering and 3-point remotes		
Steering Flow	GPM (LPM)	7.0 (26.5)		3.6 (13.8)	3.8 (14.3)	
Implement Flow	GPM (LPM)	12.6 (47.8)		7.3 (27.6)	7.6 (28.9)	
3-Point-Hitch Type		Cat 1		Cat 1		
3-Point-Hitch Lift Capacity (At Lift Points)	lbs. (kg)	2,800 (1,270)		2,205 (1,000)		
3-Point-Hitch Lift Capacity (24 in. Behind Lift Point)	lbs. (kg)	2,535 (1,150)		1,598 (725)		
PTO						
Type		Independent with SoftStart electronic modulation		Mech: Independent HST: Transmission		

DIMENSIONS

		MF 1M.35	MF 1M.40	MF1E.25	MF1E.35	MF 1E.40
Overall Length	in. (mm)	122.0 (3,100)		116.5 (2,960)		
Minimum Width	in. (mm)	67.5 (1,715)		52.4 (1,330)		
Overall Height	in. (mm)	ROPS: 99.2 (2,520), Cab: 91.3 (2,320)		97.6 (2,480)		
Ground Clearance	in. (mm)	14.4 (365)		11 (280)		
Base Weight	lbs. (kg)	ROPS: 3,472 (1,575), Cab: 3,858 (1,750)		2,668 (1,210)	Mech: 2,888 (1,310), HST: 2,943 (1,335)	

*Specifications are manufacturer's estimates at time of publication and are subject to change without prior notification.

FOR MORE
INFORMATION,
SCAN HERE:





RELIABLE SUPPORT FOR EVERY SEASON

Buying, owning and maintaining equipment can be complex. With Massey Ferguson, you can count on personalized, responsive support from a network of dedicated and knowledgeable dealers. Plus there's no cutoff time for parts and service, meaning we're available to you throughout the lifetime of your machine.

ASK YOUR DEALER FOR DETAILS ABOUT AGCO PARTS AND SERVICE.



**FINANCING TO MATCH
YOUR NEEDS**



**SCAN TO
APPLY FOR
FINANCING**



MASSEY FERGUSON

► ACHIEVE
BETTER

FOR MORE INFORMATION, OR TO FIND YOUR DEALER, VISIT [MASSEYFERGUSON.COM](https://www.masseyferguson.com).



©2026 AGCO Corporation. Massey Ferguson is a worldwide brand of AGCO Corporation.
AGCO and Massey Ferguson are trademarks of AGCO. All rights reserved.

MF26BRC012DSv02